


This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±0.8mm unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\6500CO0604\6500CO0604.idw


Tolérance ±0.8mm sauf spécification contraire




TOP




BACK




BOTTOM




LEFT




FRONT



RIGHT



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date

6/9/2014

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur

Light Grey RAL7035

Finish
Fini

Rough
Textured

Description

6500CO 1000mm x 600mm x 400mm
Assembly

Detail Rev.

Part Number
Numéro Pièce

6500CO0604

Rev.

0

1

17

SEE BILL OF MATERIAL ON LAST PAGE

This drawing is confidential and must not be reproduced or used without the consent of EXM



Tolerance ±0.8mm unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\6500CO0604\6500CO0604.idw

Tolérance ±0.8mm sauf spécification contraire

NOTE	
ITEM	DESCRIPTION
1	NEMA 12/13 Enclosure
2	C/W Standard ground studs on box and cover
3	C/W Standard door stiffener
4	C/W Standard inner panel (Included)
5	C/W Standard inner panel mounting studs

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par BoxCad: BoxCad

Date 6/9/2014

Material
Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur Light Grey RAL7035

Finish
Fini Rough
Textured

Description
6500CO 1000mm x 600mm x 400mm
Assembly

Detail Rev.

Part Number
Numéro Pièce
6500CO0604

Rev.

2
0
17

PACKING		
ITEM	QTY	DESCRIPTION
Cardboard corner	2	To reinforced for the plastic strap tightening
Honeycomb angle	4	To protect each corners
Plastic strap- Green	2	To secure the enclosure to the wood pallet
Wood pallet	1	Standard wood pallet
Flat cardboard	1	Between the enclosure and the wood pallet
Packaging label	1	White label with product number

4	STK-Q-00700	2	M8 x 12mm Hex Socket Cap Screw (DIN 6912)
1	886SP0600CO	0	886 SP - Inner Panel
8	STK-Q-05025	1	M5 x 9.5mm Thread Rolling Screw
2	880 GS115	0	Gas Spring 115N/12Kg/26Lbs
1	6500CO0604BD	0	6500CO 1000mm x 600mm Back Cover
1	6500CO0604FD	0	6500CO 1000mm x 600mmFront Cover
1	6500CO0604TD	0	6500CO 600mm x 400mmTop Cover
1	6500CO0604B	0	6500CO 1000mm x 600mm x 400mm Body
6	STK-Q-04050-07	7	M6 x 7mm Hexagon Socket Head Machine Screw with Nyseal
4	STK-Q-08100	1	M5 Nylon Insert Lock Nut
Qty	Part Number	Rev	Description
Parts List			


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±0.8mm unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\6500CO0604\6500CO0604.idw


Tolérance ±0.8mm sauf spécification contraire




TOP




BACK




BOTTOM




LEFT



FRONT



RIGHT



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 6/9/2014

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur

Light Grey RAL7035

Finish
Fin

Rough
Textured

Description

6500CO 1000mm x 600mm x 400mm Body

Detail Rev.

Part Number
Numéro Pièce

6500CO0604B

Rev.

3

0

17

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±0.8mm unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\6500CO0604\6500CO0604.idw

Tolérance ±0.8mm sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - RIGHT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	42.5	815.4	STUD M6 x 18mm (Inside)
2	357.5	815.4	STUD M6 x 18mm (Inside)
-----			-----
3	343.3	75.0	GND STUD M6 x 16mm (Inside)



	Description 6500CO 1000mm x 600mm x 400mm Body	Status (NULL)	
	Part Number Numéro Pièce 6500CO0604B	Rev. 0	4 17

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±0.8mm unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\6500CO0604\6500CO0604.idw

Tolérance ±0.8mm sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BOTTOM VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	72.5	12.5	RAIL STUD M6 x 18mm (Inside)
2	72.5	170.0	RAIL STUD M6 x 18mm (Inside)
3	527.5	12.5	RAIL STUD M6 x 18mm (Inside)
4	527.5	170.0	RAIL STUD M6 x 18mm (Inside)



BOTTOM

	Description 6500CO 1000mm x 600mm x 400mm Body		Status (NULL)	
	Part Number Numéro Pièce 6500CO0604B		Rev. 0	5
			17	

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±0.8mm unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\6500CO0604\6500CO0604.idw

Tolérance ±0.8mm sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - LEFT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	42.5	815.4	STUD M6 x 18mm (Inside)
2	357.5	815.4	STUD M6 x 18mm (Inside)
-----			-----
3	53.3	75.0	GND STUD M6 x 16mm (Inside)



	Description	Status	
	6500CO 1000mm x 600mm x 400mm Body	(NULL)	
	Part Number Numéro Pièce	Rev.	6
6500CO0604B		0	17

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±0.8mm unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\6500CO0604\6500CO0604.idw

Tolérance ±0.8mm sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	50.0	945.0	GND STUD M6 x 16mm (Inside)
2	550.0	945.0	GND STUD M6 x 16mm (Inside)



	Description 6500CO 1000mm x 600mm x 400mm Body		Status (NULL)	
	Part Number Numéro Pièce 6500CO0604B		Rev. 0	7
			17	

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±0.8mm unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\6500CO0604\6500CO0604.idw

Tolérance ±0.8mm sauf spécification contraire

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client	Date
Drawn By Dessiné Par	Date
Material Matière	BoxCad: BoxCad
	6/9/2014
	14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color Couleur	Light Grey RAL7035	Finish Fin	Rough Textured
------------------	--------------------	---------------	-------------------

Description	Detail Rev.
6500CO 1000mm x 600mm x 400mm Body	

Part Number Numéro Pièce	Rev.	8
6500CO0604B	0	17

1	STK-P-03820R	0	Powder Paint (Light Grey / Rough Textured)
4	STK-Q-49090-275	2	Mounting Rail 275.0mm
8	STK-Q-16031	0	M6 x 10mm Stud (No Paint Cap Required)
1	6500CO0604GP	0	6500CO 1000mm x 600mm x 400mm Gland Plate
1	6500CO0604B-P	0	6500CO 1000mm x 600mm x 400mm Body Part
8	STK-Q-07220	1	M6 Nylon Insert Lock Nut
4	STK-Q-16080	0	Ground Stud M6 x 16mm
Qty	Part Number	Rev	Description
Parts List			

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±0.8mm unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\6500CO0604\6500CO0604.idw

Tolérance ±0.8mm sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




BOTTOM




LEFT




FRONT



RIGHT



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 6/9/2014

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur

Light Grey RAL7035

Finish
Fin

Rough
Textured

Description

6500CO 600mm x 400mmTop Cover

Detail Rev.

Part Number
Numéro Pièce

6500CO0604TD

Rev.

9
0
17

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±0.8mm unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\6500CO0604\6500CO0604.idw

Tolérance ±0.8mm sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	58.6	50.0	STUD M6 x 18mm (Inside)
2	383.6	50.0	STUD M6 x 18mm (Inside)
3	58.6	545.0	STUD M6 x 18mm (Inside)
4	383.6	545.0	STUD M6 x 18mm (Inside)
-----	-----	-----	-----
5	446.8	50.8	LOCK 880 SCQ4-SL @ 270.0°
6	446.8	544.2	LOCK 880 SCQ4-SL @ 270.0°
7	70.0	560.0	GND STUD M6 x 16mm (Inside)
8	70.0	35.0	GND STUD M6 x 16mm (Inside)



FRONT

	Description 6500CO 600mm x 400mm Top Cover	Status (NULL)	
	Part Number Numéro Pièce 6500CO0604TD	Rev. 0	10 17

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±0.8mm unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\6500CO0604\6500CO0604.idw

Tolérance ±0.8mm sauf spécification contraire

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client		Date	
Drawn By Dessiné Par		Date 6/9/2014	
Material Matière		BoxCad: BoxCad 14 Ga Cold Rolled A1008 CS Type B (1.7mm)	
Color Couleur		Light Grey RAL7035	Finish Fini Rough Textured
Description 6500CO 600mm x 400mmTop Cover			Detail Rev.
Part Number Numéro Pièce		Rev.	11
6500CO0604TD		0	17

2	STK-Q-16080	0	Ground Stud M6 x 16mm
1	STK-P-03820R	0	Powder Paint (Light Grey / Rough Textured)
2	STK-Q-46020-16	5	5412 ES Vertical Door Stiffener 16"
4	STK-Q-16055	1	M6 x 18mm Stud (No Paint Cap Required)
1	6500CO0604TD-P	0	6500CO 600mm x 400mm Top Cover Part
1	6500CO0604TD-G	0	6500CO 1000mm x 600mm Top Cover Gasket
2	STK-K-09800	10	5412 ES Hinge with 2 Captive Hinge Pins
4	STK-Q-07220	1	M6 Nylon Insert Lock Nut
2	880 SCQ4-SL	6	5412 ES 1/4 Turn Lock
Qty	Part Number	Rev	Description
Parts List			

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±0.8mm unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\6500CO0604\6500CO0604.idw

Tolérance ±0.8mm sauf spécification contraire

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm


Projection



Customer Client		Date	
Drawn By Dessiné Par		Date 6/9/2014	
Material Matière		14 Ga Cold Rolled A1008 CS Type B (1.7mm)	
Color Couleur		Light Grey RAL7035	Finish Fini Rough Textured
Description 6500CO 1000mm x 600mmFront Cover			Detail Rev.
Part Number Numéro Pièce		Rev. 0	12 17
6500CO0604FD			

SEE BILL OF MATERIAL ON LAST PAGE

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



This drawing is confidential and must not be reproduced or used without the consent of EXM

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±0.8mm unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\6500CO0604\6500CO0604.idw

Tolérance ±0.8mm sauf spécification contraire

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client	Date
Drawn By Dessiné Par BoxCad: BoxCad	Date 6/9/2014
Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)	

Color Couleur Light Grey RAL7035	Finish Fini Rough Textured
--	------------------------------------

Description 6500CO 1000mm x 600mmFront Cover	Detail Rev.
---	-------------

Part Number Numéro Pièce 6500CO0604FD	Rev. 0	14 17
--	------------------	----------

1	STK-Q-16080	0	Ground Stud M6 x 16mm
1	STK-P-03820R	0	Powder Paint (Light Grey / Rough Textured)
1	6500CO0604FD-P	0	6500CO 1000mm x 600mm Front Cover Part
1	6500CO0604FD-G	0	6500CO 1000mm x 600mm Front Cover Gasket
2	STK-K-09800	10	5412 ES Hinge with 2 Captive Hinge Pins
2	880 SCQ4-SL	6	5412 ES 1/4 Turn Lock
Qty	Part Number	Rev	Description
Parts List			

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±0.8mm unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\6500CO0604\6500CO0604.idw

Tolérance ±0.8mm sauf spécification contraire

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm


Projection



Customer Client		Date	
Drawn By Dessiné Par		Date 6/9/2014	
Material Matière		14 Ga Cold Rolled A1008 CS Type B (1.7mm)	
Color Couleur		Light Grey RAL7035	Finish Fini Rough Textured
Description 6500CO 1000mm x 600mm Back Cover			Detail Rev.
Part Number Numéro Pièce		Rev.	15
6500CO0604BD		0	17




TOP




BACK




BOTTOM



LEFT



FRONT



RIGHT

SEE BILL OF MATERIAL ON LAST PAGE

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±0.8mm unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\6500CO0604\6500CO0604.idw

Tolérance ±0.8mm sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	561.7	617.0	LOCK 880 SCQ4-SL @ 180.0°
2	561.7	108.0	LOCK 880 SCQ4-SL @ 180.0°
3	40.0	35.0	GND STUD M6 x 16mm (Inside)



FRONT

	Description 6500CO 1000mm x 600mm Back Cover	Status (NULL)	
	Part Number Numéro Pièce 6500CO0604BD	Rev. 0	16 17

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±0.8mm unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\6500CO0604\6500CO0604.idw

Tolérance ±0.8mm sauf spécification contraire

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client	Date
Drawn By Dessiné Par BoxCad: BoxCad	Date 6/9/2014
Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)	

Color Couleur Light Grey RAL7035	Finish Fini Rough Textured
--	---------------------------------------

Description 6500CO 1000mm x 600mm Back Cover	Detail Rev.
---	-------------

Part Number Numéro Pièce 6500CO0604BD	Rev. 0	17 17
--	------------------	----------

1	STK-Q-16080	0	Ground Stud M6 x 16mm
1	STK-P-03820R	0	Powder Paint (Light Grey / Rough Textured)
1	6500CO0604BD-P	0	6500CO 1000mm x 600mm Back Cover Part
1	6500CO0604BD-G	0	6500CO 1000mm x 600mm Back Cover Gasket
2	STK-K-09800	10	5412 ES Hinge with 2 Captive Hinge Pins
2	880 SCQ4-SL	6	5412 ES 1/4 Turn Lock
Qty	Part Number	Rev	Description
Parts List			

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


Technical drawing showing the front and top views of a rectangular plate. The front view is a rectangle with a width of 830.0 and a height of 515.0. The top view is a rectangle with a length of 830.0 and a width of 53.3. The drawing includes dimension lines and labels for the views: TOP and FRONT.

Dimensions:

- Top view length: 830.0
- Top view width: 53.3
- Front view width: 830.0
- Front view height: 515.0

Views:

- TOP
- FRONT



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness	
Aplatissement	

Max 3.0mm

Max 5.0mm
Projection



Customer Client	
--------------------	--

Date

Client	
Drawn By	BoxCad
Dessiné Par	

Date	1/23/2007
------	-----------

Material
Matière

See Part List

Color	
Couleur	

See Part List

Finish	
Fin	S

See Part List

Description

Detail Rev.

886 SP - Inner Panel

	Part Number
	Numéro Pièce

Rev.	
------	--

1

886SP0600CO

0

1				12 Ga Galvanized	Galvanized	Galvanized
1	STK-P-02401S	0	Powder Paint (White / Smooth)	Polyester-Epoxy Hybrid	White RAL9003	Smooth
Qty	Part Number	Rev	Description	Material	Color	Finish
Parts List						

Tolerance ±0.8mm unless otherwise specified

C:\Vault Workspace\Inventor Dwg\Inv-8\886SPCO\886SP0600CO.idw

Tolérance ±0.8mm sauf spécification contraire

Table 1

CUT-OUT

XDIM

YDIM

FRONT VIEW

DESCRIPTION

All knockouts are actual size / Les disques défonçables sont grandeur réel

0.0

830.0

515.0

0.0

FRONT

Isometric View

Exm

Tél: (450) 979-4373

Fax: (450) 979-4626

www.exmweb.com

Flatness

Aplatissement

Max 3.0mm

Projection

Customer

Client

Date

Drawn By

Dessiné Par

BoxCad

Date

1/23/2007

Material

Matière

See Part List

Color

Couleur

See Part List

Finish

Fini

See Part List

Description

886 SP - Inner Panel

Detail Rev.

Part Number

Numéro Pièce

886SP0600CO

Rev.

0

2

2

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM