


This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±0.8mm unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\6500Codd1204\6500Codd1204.idw


Tolérance ±0.8mm sauf spécification contraire




TOP




BACK




LEFT



FRONT




RIGHT



BOTTOM

No.	Revisions	Date	By/Par

Isometric View

 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement Max 3.0mm	
		Projection 	
Customer Client		Date	
Drawn By Dessiné Par BoxCad: BoxCad		Date 11/6/2014	
Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)			
Color Couleur Light Grey RAL7035		Finish Fini	Rough Textured
Description 6500Codd 1000mm x 1200mm x 400mm Assembly		Detail Rev.	
Part Number Numéro Pièce 6500Codd1204		Rev. 0	1 23

SEE BILL OF MATERIAL ON LAST PAGE

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM



Tolerance ±0.8mm unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\6500Codd1204\6500Codd1204.idw

Tolérance ±0.8mm sauf spécification contraire

NOTE	
ITEM	DESCRIPTION
1	NEMA 12/13 Enclosure
2	C/W Standard ground studs on box and cover
3	C/W Standard door stiffener
4	C/W Standard inner panel (Included)
5	C/W Standard inner panel mounting studs

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement



Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par BoxCad: BoxCad

Date 11/6/2014

Material
Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur Light Grey RAL7035

Finish
Fini Rough
Textured

Description
6500Codd 1000mm x 1200mm x 400mm
Assembly

Detail Rev.

Part Number
Numéro Pièce
6500Codd1204

Rev.

2

4	STK-Q-00700	2	M8 x 12mm Hex Socket Cap Screw (DIN 6912)
1	886SP1200CO	0	886 SP - Inner Panel
8	STK-Q-05025	1	M5 x 9.5mm Thread Rolling Screw
2	880 GS115	0	Gas Spring 115N/12Kg/26Lbs
1	6500Codd1204BR	0	6500Codd 1000mm x 1200mm Back Lock Door
1	6500Codd1204BL	0	6500Codd 1000mm x 1200mm Back Flange Door
1	6500Codd1204FR	0	6500Codd 1000mm x 1200mm Front Lock Door
1	6500Codd1204FL	0	6500Codd 1000mm x 1200mm Front Flange Door
1	6500Codd1204TD	0	6500Codd 1200mm x 400mmTop Cover
1	6500Codd1204B	0	6500Codd 1000mm x 1200mm x 400mm Body
12	STK-Q-04050-07	7	M6 x 7mm Hexagon Socket Head Machine Screw with Nyseal
4	STK-Q-08100	1	M5 Nylon Insert Lock Nut
Qty	Part Number	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±0.8mm unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\6500Codd1204\6500Codd1204.idw


Tolérance ±0.8mm sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


No.	Revisions	Date	By/Par




TOP




BACK




LEFT




FRONT



RIGHT



BOTTOM



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 11/6/2014

Material
Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur Light Grey RAL7035

Finish
Fini Rough
Textured

Description
6500Codd 1000mm x 1200mm x 400mm
Body

Detail Rev.

Part Number
Numéro Pièce
6500Codd1204B

Rev.
0

3
23

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±0.8mm unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\6500Codd1204\6500Codd1204.idw

Tolérance ±0.8mm sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - RIGHT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	42.5	815.4	STUD M6 x 18mm (Inside)
2	357.5	815.4	STUD M6 x 18mm (Inside)
-----	-----	-----	-----
3	53.3	75.0	GND STUD M6 x 16mm (Inside)
4	343.3	75.0	GND STUD M6 x 16mm (Inside)



	Description 6500Codd 1000mm x 1200mm x 400mm Body	Status (NULL)	
	Part Number Numéro Pièce 6500Codd1204B	Rev. 0	4 23

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±0.8mm unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\6500Codd1204\6500Codd1204.idw

Tolérance ±0.8mm sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BOTTOM VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	72.5	12.5	RAIL STUD M6 x 18mm (Inside)
2	72.5	170.0	RAIL STUD M6 x 18mm (Inside)
3	1127.5	12.5	RAIL STUD M6 x 18mm (Inside)
4	1127.5	170.0	RAIL STUD M6 x 18mm (Inside)



	Description 6500Codd 1000mm x 1200mm x 400mm Body		Status (NULL)	
	Part Number Numéro Pièce 6500Codd1204B		Rev. 0	5
			23	

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±0.8mm unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\6500Codd1204\6500Codd1204.idw

Tolérance ±0.8mm sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - LEFT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	42.5	815.4	STUD M6 x 18mm (Inside)
2	357.5	815.4	STUD M6 x 18mm (Inside)
-----	-----	-----	-----
3	343.3	75.0	GND STUD M6 x 16mm (Inside)
4	53.3	75.0	GND STUD M6 x 16mm (Inside)



	Description 6500Codd 1000mm x 1200mm x 400mm Body	Status (NULL)	
	Part Number Numéro Pièce 6500Codd1204B	Rev. 0	6 23

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±0.8mm unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\6500Codd1204\6500Codd1204.idw

Tolérance ±0.8mm sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	50.0	945.0	GND STUD M6 x 16mm (Inside)
2	1150.0	945.0	GND STUD M6 x 16mm (Inside)



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

	Description 6500Codd 1000mm x 1200mm x 400mm Body	Status (NULL)	
	Part Number Numéro Pièce 6500Codd1204B	Rev. 0	7 23


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±0.8mm unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\6500Codd1204\6500Codd1204.idw

Tolérance ±0.8mm sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client

Date

Drawn By
Dessiné Par BoxCad: BoxCad

Date 11/6/2014

Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color Couleur Light Grey RAL7035

Finish Fini Rough Textured

Description 6500Codd 1000mm x 1200mm x 400mm Body

Detail Rev.

Part Number
Numéro Pièce
6500Codd1204B

Rev. 8
0


1	STK-P-03820R	0	Powder Paint (Light Grey / Rough Textured)
4	STK-Q-49090-275	2	Mounting Rail 275.0mm
8	STK-Q-16031	0	M6 x 10mm Stud (No Paint Cap Required)
1	6500Codd1204GP	0	6500Codd 1000mm x 1200mm x 400mm Gland Plate
1	6500Codd1204B-P	0	6500Codd 1000mm x 1200mm x 400mm Body Part
8	STK-Q-07220	1	M6 Nylon Insert Lock Nut
6	STK-Q-16080	0	Ground Stud M6 x 16mm
Qty	Part Number	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±0.8mm unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\6500Codd1204\6500Codd1204.idw


Tolérance ±0.8mm sauf spécification contraire



0.0
20.3
LEFT




FRONT




RIGHT



BOTTOM



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 11/6/2014

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur

Light Grey RAL7035

Finish
Fini

Rough
Textured

Description

6500Codd 1200mm x 400mmTop Cover

Detail Rev.

Part Number
Numéro Pièce

6500Codd1204TD

Rev.

9
0
23

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±0.8mm unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\6500Codd1204\6500Codd1204.idw

Tolérance ±0.8mm sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	58.6	50.0	STUD M6 x 18mm (Inside)
2	383.6	50.0	STUD M6 x 18mm (Inside)
3	58.6	1145.0	STUD M6 x 18mm (Inside)
4	383.6	1145.0	STUD M6 x 18mm (Inside)
-----	-----	-----	-----
5	70.0	35.0	GND STUD M6 x 16mm (Inside)
6	70.0	1160.0	GND STUD M6 x 16mm (Inside)
7	446.8	597.5	LOCK 880 SCQ4-SL @ 270.0°
8	446.8	1144.2	LOCK 880 SCQ4-SL @ 270.0°
9	446.8	50.8	LOCK 880 SCQ4-SL @ 270.0°



FRONT

	Description	Status	
	6500Codd 1200mm x 400mm Top Cover	(NULL)	
	Part Number Numéro Pièce 6500Codd1204TD	Rev. 0	10 23

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±0.8mm unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\6500Codd1204\6500Codd1204.idw


Tolérance ±0.8mm sauf spécification contraire

No.


Revisions

Date

By/Par




Isometric View






Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement



Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 11/6/2014

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur

Light Grey RAL7035

Finish
Fini

Rough
Textured

Description

6500Codd 1200mm x 400mmTop Cover

Detail Rev.

Part Number
Numéro Pièce

6500Codd1204TD

Rev. 0

11
23

2	STK-Q-16080	0	Ground Stud M6 x 16mm
1	STK-P-03820R	0	Powder Paint (Light Grey / Rough Textured)
2	STK-Q-46020-16	5	5412 ES Vertical Door Stiffener 16"
4	STK-Q-16055	1	M6 x 18mm Stud (No Paint Cap Required)
1	6500Codd1204TD-P	0	6500Codd 1200mm x 400mm Top Cover Part
1	6500Codd1204TD-G	0	6500Codd 1000mm x 1200mm Top Cover Gasket
4	STK-K-09800	10	5412 ES Hinge with 2 Captive Hinge Pins
4	STK-Q-07220	1	M6 Nylon Insert Lock Nut
3	880 SCQ4-SL	6	5412 ES 1/4 Turn Lock
Qty	Part Number	Rev	Description
Parts List			


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±0.8mm unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\6500Codd1204\6500Codd1204.idw

Tolérance ±0.8mm sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




BOTTOM




LEFT




FRONT



RIGHT



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par BoxCad: BoxCad

Date 11/6/2014

Material
Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur Light Grey RAL7035

Finish
Fini Rough
Textured

Description
6500Codd 1000mm x 1200mm Front
Flange Door

Detail Rev.

Part Number
Numéro Pièce
6500Codd1204FL

Rev.
0
12
23

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±0.8mm unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\6500Codd1204\6500Codd1204.idw

Tolérance ±0.8mm sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	40.0	35.0	GND STUD M6 x 16mm (Inside)



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

	Description 6500Codd 1000mm x 1200mm Front Flange Door	Status (NULL)	
	Part Number Numéro Pièce 6500Codd1204FL	Rev. 0	13 23


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±0.8mm unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\6500Codd1204\6500Codd1204.idw

Tolérance ±0.8mm sauf spécification contraire

No.	Revisions	Date	By/Par




Isometric View





Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement
Max 3.0mm
Projection


Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 11/6/2014

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur

Light Grey RAL7035

Finish
Fini

Rough Textured

Description

6500Codd 1000mm x 1200mm Front Flange Door

Detail Rev.

Part Number
Numéro Pièce

6500Codd1204FL

Rev. 0

14
23

1	STK-Q-16080	0	Ground Stud M6 x 16mm
1	STK-P-03820R	0	Powder Paint (Light Grey / Rough Textured)
1	STK-G-03200	6.1	5500 ESDD Lower Flange Door Gasket
1	STK-G-03100	6.1	5500 ESDD Upper Flange Door Gasket
1	STK-G-00701	0	1" x 1/4" Self-Adhesive Neoprene Gasket
1	6500Codd1204FL-P	0	6500Codd 1000mm x 1200mm Front Flange Door Part
1	6500Codd1204FL-G	0	6500Codd 1000mm x 1200mm Front Flange Door Gasket
2	STK-K-09800	10	5412 ES Hinge with 2 Captive Hinge Pins
Qty	Part Number	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±0.8mm unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\6500Codd1204\6500Codd1204.idw

Tolérance ±0.8mm sauf spécification contraire




TOP




BACK




BOTTOM




LEFT




FRONT



RIGHT



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 11/6/2014

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur

Light Grey RAL7035

Finish
Fini

Rough
Textured

Description

6500Codd 1000mm x 1200mm Front Lock
Door

Detail Rev.

Part Number
Numéro Pièce

6500Codd1204FR

Rev.

15

0

23

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±0.8mm unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\6500Codd1204\6500Codd1204.idw

Tolérance ±0.8mm sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	40.0	35.0	GND STUD M6 x 16mm (Inside)
2	521.6	688.8	LOCK 880 SCQ4-SL @ 90.0°
3	521.6	36.2	LOCK 880 SCQ4-SL @ 270.0°



	Description 6500Codd 1000mm x 1200mm Front Lock Door	Status (NULL)	
	Part Number Numéro Pièce 6500Codd1204FR	Rev. 0	16 23

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM



This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±0.8mm unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\6500Codd1204\6500Codd1204.idw

Tolérance ±0.8mm sauf spécification contraire

No.	Revisions	Date	By/Par



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client	Date
Drawn By Dessiné Par BoxCad: BoxCad	Date 11/6/2014
Material Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)	

Color Couleur Light Grey RAL7035	Finish Fini Rough Textured
-------------------------------------	-------------------------------

Description 6500Codd 1000mm x 1200mm Front Lock Door	Detail Rev.
---	-------------

Part Number Numéro Pièce 6500Codd1204FR	Rev. 0	17 23
--	------------------	----------

1	STK-Q-16080	0	Ground Stud M6 x 16mm
1	STK-P-03820R	0	Powder Paint (Light Grey / Rough Textured)
1	6500Codd1204FR-P	0	6500Codd 1000mm x 1200mm Front Lock Door Part
1	6500Codd1204FR-G	0	6500Codd 1000mm x 1200mm Front Lock Door Gasket
2	STK-K-09800	10	5412 ES Hinge with 2 Captive Hinge Pins
2	880 SCQ4-SL	6	5412 ES 1/4 Turn Lock
Qty	Part Number	Rev	Description
Parts List			

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±0.8mm unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\6500Codd1204\6500Codd1204.idw

Tolérance ±0.8mm sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




BOTTOM




LEFT




FRONT



RIGHT



Isometric View




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer
Client

Date

Drawn By
Dessiné Par BoxCad: BoxCad

Date 11/6/2014

Material
Matière 14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur Light Grey RAL7035

Finish
Fini Rough
Textured

Description
6500Codd 1000mm x 1200mm Back
Flange Door

Detail Rev.

Part Number
Numéro Pièce
6500Codd1204BL

Rev.

18

0

23

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±0.8mm unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\6500Codd1204\6500Codd1204.idw

Tolérance ±0.8mm sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	40.0	35.0	GND STUD M6 x 16mm (Inside)



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

	Description 6500Codd 1000mm x 1200mm Back Flange Door	Status (NULL)	
	Part Number Numéro Pièce 6500Codd1204BL	Rev. 0	19 23


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±0.8mm unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\6500Codd1204\6500Codd1204.idw

Tolérance ±0.8mm sauf spécification contraire

No.	Revisions	Date	By/Par





Isometric View





Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm
Projection


Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 11/6/2014

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur

Light Grey RAL7035

Finish
Fini

Rough Textured

Description

6500Codd 1000mm x 1200mm Back Flange Door

Detail Rev.

Part Number
Numéro Pièce

6500Codd1204BL

Rev. 0

20
23

1	STK-Q-16080	0	Ground Stud M6 x 16mm
1	STK-P-03820R	0	Powder Paint (Light Grey / Rough Textured)
1	STK-G-03200	6.1	5500 ESDD Lower Flange Door Gasket
1	STK-G-03100	6.1	5500 ESDD Upper Flange Door Gasket
1	STK-G-00701	0	1" x 1/4" Self-Adhesive Neoprene Gasket
1	6500Codd1204BL-P	0	6500Codd 1000mm x 1200mm Back Flange Door Part
1	6500Codd1204BL-G	0	6500Codd 1000mm x 1200mm Back Flange Door Gasket
2	STK-K-09800	10	5412 ES Hinge with 2 Captive Hinge Pins
Qty	Part Number	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±0.8mm unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\6500Codd1204\6500Codd1204.idw

Tolérance ±0.8mm sauf spécification contraire




TOP




BACK




BOTTOM




LEFT




FRONT



RIGHT



Isometric View



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par

Isometric View		Flatness Aplatissement Max 3.0mm Projection	
Customer Client		Date	
Drawn By Dessiné Par		Date 11/6/2014	
Material Matière		14 Ga Cold Rolled A1008 CS Type B (1.7mm)	
Color Couleur		Light Grey RAL7035	
Finish Fini		Rough Textured	
Description		Detail Rev.	
6500Codd 1000mm x 1200mm Back Lock Door			
Part Number Numéro Pièce		Rev.	21
6500Codd1204BR		0	23

SEE BILL OF MATERIAL ON LAST PAGE


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±0.8mm unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\6500Codd1204\6500Codd1204.idw

Tolérance ±0.8mm sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	40.0	35.0	GND STUD M6 x 16mm (Inside)
2	521.6	688.8	LOCK 880 SCQ4-SL @ 90.0°
3	521.6	36.2	LOCK 880 SCQ4-SL @ 270.0°



FRONT

	Description 6500Codd 1000mm x 1200mm Back Lock Door	Status (NULL)	
	Part Number Numéro Pièce 6500Codd1204BR	Rev. 0	22 23

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±0.8mm unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\6500Codd1204\6500Codd1204.idw


Tolérance ±0.8mm sauf spécification contraire

No.

Revisions

Date

By/Par



Isometric View





Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement
Max 3.0mm
Projection

Customer
Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date

11/6/2014

Material
Matière

14 Ga Cold Rolled A1008 CS Type B (1.7mm)

Color
Couleur

Light Grey RAL7035

Finish
Fini

Rough Textured

Description

6500Codd 1000mm x 1200mm Back Lock Door

Detail Rev.

Part Number
Numéro Pièce

6500Codd1204BR

Rev.

23

0

23

1	STK-Q-16080	0	Ground Stud M6 x 16mm
1	STK-P-03820R	0	Powder Paint (Light Grey / Rough Textured)
1	6500Codd1204BR-P	0	6500Codd 1000mm x 1200mm Back Lock Door Part
1	6500Codd1204BR-G	0	6500Codd 1000mm x 1200mm Back Lock Door Gasket
2	STK-K-09800	10	5412 ES Hinge with 2 Captive Hinge Pins
2	880 SCQ4-SL	6	5412 ES 1/4 Turn Lock
Qty	Part Number	Rev	Description
Parts List			

Diagram of a vertical rectangular structure. The structure is oriented vertically. At the top, there is a small circle with a horizontal line extending to the right, labeled **1115.0**. Below this, there is a horizontal line extending to the right, labeled **1085.0**. At the bottom, there is a small circle with a horizontal line extending to the right, labeled **30.0**. Below this, there is a horizontal line extending to the right, labeled **0.0**. The word **RIGHT** is written at the bottom right of the diagram.

1				12 Ga Galvanized	Galvanized	Galvanized
1	STK-P-02401S	0	Powder Paint (White / Smooth)	Polyester-Epoxy Hybrid	White RAL9003	Smooth
Qty	Part Number	Rev	Description	Material	Color	Finish
Parts List						


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±0.8mm unless otherwise specified



C:\Vault Workspace\Inventor Dwg\Inv-8\886SPCO\886SP1200CO.idw

Tolérance ±0.8mm sauf spécification contraire

Table 1			FRONT VIEW
CUT-OUT	XDIM	YDIM	DESCRIPTION



All knockouts are actual size / Les disques défonçables sont grandeur réel

No.	Revisions	Date	By/Par
 Isometric View			
 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement Max 3.0mm Projection 	
Customer Client		Date	
Drawn By Dessiné Par BoxCad		Date 1/23/2007	
Material Matière		See Part List	
Color Couleur		See Part List	Finish Fini See Part List
Description			Detail Rev.
886 SP - Inner Panel			
Part Number Numéro Pièce		Rev.	2
886SP1200CO		0	2

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM