


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\9500U3DSS8411824 mcc\9500U3DSS8411824 mcc.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




LEFT



FRONT



RIGHT




Isometric View



BOTTOM

No.	Revisions	Date	By/Par




Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement

Max 3.0mm

Projection



Customer Client		Date	
Drawn By Dessiné Par		Date 27-Mar-20	
Material Matière		12 Ga Stainless Steel 304 (2.5mm)	
Color Couleur		Asa-61 Grey	Finish Finis Smooth
Description 9500U3DSS 84" x 117.5" x 24" Assembly			Detail Rev.
Part Number Numéro Pièce		Rev.	1
SEE BILL OF MATERIAL ON LAST PAGE		0	2
9500U3DSS8411824			

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\9500U3DSS8411824_mcc\9500U3DSS8411824_mcc.idw

Tolérance ±1/32" sauf spécification contraire

NOTE	
ITEM	DESCRIPTION
1	NEMA 12/13 Enclosure
2	C/W Standard ground studs on box and cover
3	W/O Standard door stiffener
4	C/W Special inner panel (Sold separately)
5	C/W Standard inner panel mounting studs
6	C/W Struts sold separately (Installed by EXM)
7	C/W Eyebolts
8	C/W 885 ESL2A-APHKSS (Kit)

No.	Revisions	Date	By/Par





Isometric View

PACKING		
ITEM	QTY	DESCRIPTION
Cardboard sleeve	2	Top and Bottom
Cardboard strip	2	Between back of enclosure and inner panel
Plastic bag	1	To protect cover surface and inside gasket
Cardboard corner	4	To reinforced for the plastic strap tightening
Plastic strap - Black	2	To Squeeze 2 cardboard sleeve together
Packaging label	3	White label with PN
Plastic strap- Green	2	To secure the enclosure to the wood pallet
Wood Pallet	1	2" deeper and 3" larger than enclosure size

1	9500U3DSS8411824_mcc I2	0	9500U3DSS 84" x 117.5" Inner Panel
1	9500U3DSS8411824_mcc IP	0	9500U3DSS 84" x 117.5" Inner Panel
14	STK-Q-07320	0	Flange Lock Nut M10
1	9500U3DSS8411824_mcc FD	0	9500U3DSS 84" x 117.5" Back Flange Door
1	9500U3DSS8411824_mcc RD	0	9500U3DSS 84" x 117.5" Right Door
10	STK-Q-07620	0	M10 Plastic Spacer 0.875"
1	9500U3DSS8411824_mcc LD	0	9500U3DSS 84" x 117.5" Back Lock Door
1	9500U3DSS8411824_mcc B	0	9500U3DSS 84" x 117.5" x 24" Body
4	STK-Q-04051-10	8	M6 Hexagon Socket Head Machine Screw with Nyseal
4	880EB14SS	2	Stainless Steel Eye Bolt M14 (Pack of 2)
2	9500U3DSS8411824_mcc GP	0	9500U3DSS Gland Plate
Qty	Part Number	Rev	Description
Parts List			



Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement
Max 3.0mm

Customer Client

Date

Drawn By
Dessiné Par

BoxCad: BoxCad

Date 27-Mar-20

Material
Matière

12 Ga Stainless Steel 304 (2.5mm)

Color
Couleur

Asa-61 Grey

Finish
Fini

Smooth

Description

9500U3DSS 84" x 117.5" x 24" Assembly

Detail Rev.

Part Number
Numéro Pièce

9500U3DSS8411824

Rev. 0

2

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault Workspace\Inventor Dwg\BoxCad\Result\9500U3DSS8411824_mcc\9500U3DSS8411824_mccB.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




LEFT



FRONT



RIGHT




Isometric View



BOTTOM

No.	Revisions	Date	By/Par



Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement
Max 3.0mm
Projection

Customer Client		Date	
Drawn By Dessiné Par		BoxCad: BoxCad	
Material Matière		12 Ga Stainless Steel 304 (2.5mm)	
Color Couleur		Asa-61 Grey	Finish Finis Smooth
Description 9500U3DSS 84" x 117.5" x 24" Body			Detail Rev.
Part Number Numéro Pièce		Rev.	1 2
SEE BILL OF MATERIAL ON LAST PAGE		0	2
9500U3DSS8411824B			


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\9500U3DSS8411824_mcc\9500U3DSS8411824_mccB2.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - TOP VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	88.036	19.911	Struts CR400 33.500" (Inside)
2	29.286	19.911	Struts CR400 33.500" (Inside)
3	88.036	19.911	STUDS M6 x 10mm (Inside)
4	74.286	19.911	STUDS M6 x 10mm (Inside)
5	101.786	19.911	STUDS M6 x 10mm (Inside)
6	29.286	19.911	STUDS M6 x 10mm (Inside)
7	15.536	19.911	STUDS M6 x 10mm (Inside)
8	43.036	19.911	STUDS M6 x 10mm (Inside)




	Description		Status	
	9500U3DSS 84" x 117.5" x 24" Body		Released	
	Part Number Numéro Pièce 9500U3DSS8411824B		Rev. 0	2 7

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BOTTOM VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	7.286	3.411	GP STUD M6 x 16mm (Inside)
2	16.536	3.411	GP STUD M6 x 16mm (Inside)
3	100.786	3.411	GP STUD M6 x 16mm (Inside)
4	110.036	3.411	GP STUD M6 x 16mm (Inside)



	Description		Status	
	9500U3DSS 84" x 117.5" x 24" Body		Released	
	Part Number Numéro Pièce 9500U3DSS8411824B		Rev. 0	4 7

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\9500U3DSS8411824_mcc\9500U3DSS8411824_mccB5.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - LEFT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	22.411	9.286	GND STUD M6 x 16mm (Inside)
-----	-----	-----	-----
2	22.411	1.911	GND STUD M6 x 16mm (Inside)



	Description	Status	
	9500U3DSS 84" x 117.5" x 24" Body	Released	
	Part Number Numéro Pièce	Rev.	5
	9500U3DSS8411824B	0	7

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\9500U3DSS8411824_mcc\9500U3DSS8411824_mccB6.idw

Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - BACK VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	2.786	8.786	IP STUD M10 x 40mm (Inside)
2	2.786	79.036	IP STUD M10 x 40mm (Inside)
3	114.536	79.036	IP STUD M10 x 40mm (Inside)
4	114.536	8.786	IP STUD M10 x 40mm (Inside)
5	2.786	43.911	IP STUD M10 x 40mm (Inside)
6	114.536	43.911	IP STUD M10 x 40mm (Inside)
7	73.036	8.786	IP STUD M10 x 40mm (Inside)
8	73.036	79.036	IP STUD M10 x 40mm (Inside)
9	73.036	43.911	IP STUD M10 x 40mm (Inside)
10	82.536	8.786	IP STUD M10 x 40mm (Inside)
11	82.536	79.036	IP STUD M10 x 40mm (Inside)
12	82.536	43.911	IP STUD M10 x 40mm (Inside)
13	37.911	8.786	IP STUD M10 x 40mm (Inside)
14	37.911	79.036	IP STUD M10 x 40mm (Inside)
-----	-----	-----	-----
15	47.286	7.411	IP SUPPORT ANGLE (Inside)
16	35.786	7.411	IP SUPPORT ANGLE (Inside)
17	111.536	7.411	IP SUPPORT ANGLE (Inside)
18	5.786	7.411	IP SUPPORT ANGLE (Inside)



	Description	Status	
	9500U3DSS 84" x 117.5" x 24" Body	Released	
	Part Number Numéro Pièce	Rev.	6
	9500U3DSS8411824B	0	7

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\9500U3DSS8411824_mcc\9500U3DSS8411824_mccB.idw

Tolérance ±1/32" sauf spécification contraire

NOTE

ITEM	DESCRIPTION
1	NEMA 12/13 Enclosure
2	C/W Standard ground studs on box and cover
3	W/O Standard door stiffener
4	C/W Special inner panel (Sold seperately)
5	C/W Standard inner panel mounting studs

6	STK-Q-16040	0	Stud M6 x 10mm Stainless Steel
1	STK-Q-16085	0	Ground Stud M6 x 16mm Stainless Steel
4	9500U3DSS8411824_mcc BPA-P	0	9500U3DSS Inner Panel Support Angle
6	STK-Q-07220	1	M6 Nylon Insert Lock Nut
1	9500U3DSS8411824_mcc CP-1	0	9500U3DSS 24" Lifting Angle Part
1	9500U3DSS8411824_mcc CP-P	0	9500U3DSS 24" Lifting Angle Part
2	STK-K-12100	0	Center Post Support
1	9500U3DSS8411824_mcc BT-P	0	9500U3DSS 117.5" x 24" Bottom Part
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
4	9500U3DSS8411824_mcc LA-P	0	9500U3DSS 24" Lifting Angle Part
1	9500U3DSS8411824_mcc T-P	0	9500U3DSS 117.5" x 24" Top Part
1	9500U3DSS8411824_mcc RS-P	0	9500U3DSS 84" x 117.5" Right Part
14	STK-Q-16120	0	Stud M10 x 40mm Stainless Steel
5	STK-Q-16095	0	M6 x 16mm Stainless Steel Ground Stud
1	9500U3DSS8411824_mcc LS-P	0	9500U3DSS 84" x 117.5" Left Part
1	9500U3DSS8411824_mcc B-P	0	9500U3DSS 84" x 117.5" Back Part
2	CR400SS_33.5	0	Commercial Roll Stainless Steel (33.5in long)
Qty	Part Number	Rev	Description
Parts List			

No.

Revisions

Date

By/Par

<

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\9500U3DSS8411824 mcc\9500U3DSS8411824 mccLD.idw


Tolérance ±1/32" sauf spécification contraire




TOP



LEFT




FRONT



RIGHT



BOTTOM



Isometric View



Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com




Customer Client		Date	
Drawn By Dessiné Par		BoxCad: BoxCad	
Material Matière		12 Ga Stainless Steel 304 (2.5mm)	
Color Couleur		Asa-61 Grey	Finish Finis Smooth
Description			Detail Rev.
9500U3DSS 84" x 117.5" Back Lock Door			
Part Number Numéro Pièce		Rev.	1
9500U3DSS8411824LD		0	3

SEE BILL OF MATERIAL ON LAST PAGE

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	34.914	5.025	STUD M6 x 18mm (Inside)
2	35.164	72.523	STUD M6 x 18mm (Inside)
3	2.000	2.118	GND STUD M6 x 16mm (Inside)



	Description 9500U3DSS 2133.6mm x 2984.5mm Lcok Door		Status (NULL)	
	Part Number Numéro Pièce 9500U3DSS8411824LD		Rev. 0	2 3

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\9500U3DSS8411824 mcc\9500U3DSS8411824 mccLD.idw

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

1	9500U3DSS8411824_mcc CB	0	9500U3DSS 84" Closing Bar
1	9500U3DSS8411824_mcc CB2ESY	0	9500U3DSS 84" Disconnect Closing Bar
1	885ESL2A-APHKSS	7	885 ESL2A-APHKSS - Stainless Steel L-Handle Padlockable Assy
1	9500U3DSS8411824_mcc LDG	0	9500U3DSS 84" x 117.5" Lock Door Gasket
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
1	STK-K-03980-36	12	Gearbox Counter Clockwise Assembly (Grip 36mm)
1	STK-Q-16095	0	M6 x 16mm Stainless Steel Ground Stud
2	STK-Q-16070	1	Stud M6 x 18mm Stainless steel
1	9500U3DSS8411824_mcc LD-P	0	9500U3DSS 2133.6mm x 2984.5mm Lock Door Part
4	STK-K-09870	7	Cabinet Hinge with Captive Pins
Qty	Part Name	Rev	Description
Parts List			

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\9500U3DSS8411824 mcc\9500U3DSS8411824 mccFD.idw

Tolérance ±1/32" sauf spécification contraire




TOP




BACK




BOTTOM




LEFT



FRONT



RIGHT



Isometric View



Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com




Customer Client		Date	
Drawn By Dessiné Par		Date 27-Mar-20	
Material Matière		12 Ga Stainless Steel 304 (2.5mm)	
Color Couleur		Asa-61 Grey	Finish Fini Smooth
Description 9500U3DSS 84" x 117.5" Back Flange Door			Detail Rev.
Part Number Numéro Pièce		Rev. 0	1 3

SEE BILL OF MATERIAL ON LAST PAGE 9500U3DSS8411824FD

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM


STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	35.844	5.025	CLOSING BAR GUIDE (Inside)
2	36.094	72.523	CLOSING BAR GUIDE (Inside)
3	2.000	2.118	GND STUD M6 x 16mm (Inside)



	Description	Status	
	9500U3DSS 84" x 117.5" Lock Door	(NULL)	
	Part Number Numéro Pièce	Rev.	2
	9500U3DSS8411824FD	0	3

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

No.	Revisions	Date	By/Par
 Isometric View			
 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com Flatness Aplatissement Max 3.0mm Projection 			
Customer Client		Date	
Drawn By Dessiné Par		BoxCad: BoxCad	Date 27-Mar-20
Material Matière 12 Ga Stainless Steel 304 (2.5mm)			
Color Couleur		Asa-61 Grey	Finish Fini Smooth
Description			Detail Rev.
9500U3DSS 84" x 117.5" Back Flange Door			
Part Number Numéro Pièce		Rev.	3
9500U3DSS8411824FD		0	3

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\9500U3DSS8411824_mcc\9500U3DSS8411824_mccRD.idw

Tolérance ±1/32" sauf spécification contraire




TOP




BACK




BOTTOM



LEFT



FRONT



Isometric View



Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com




Customer Client		Date	
Drawn By Dessiné Par		BoxCad: BoxCad	
Material Matière		12 Ga Stainless Steel 304 (2.5mm)	
Color Couleur		Asa-61 Grey	Finish Finis Smooth
Description 9500U3DSS 84" x 117.5" Right Door			Detail Rev.
Part Number Numéro Pièce		Rev. 0	1 3

SEE BILL OF MATERIAL ON LAST PAGE 500U3DSS8411824RD

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE			
HOLE TABLE - FRONT VIEW (CUSTOM FEATURE ONLY)			
CUT-OUT	XDIM	YDIM	DESCRIPTION
1	34.056	5.025	STUD M6 x 18mm (Inside)
2	34.306	72.523	STUD M6 x 18mm (Inside)
3	2.000	2.118	GND STUD M6 x 16mm (Inside)



	Description		Status	
	9500U3DSS 84" x 117.5" Lock Door		(NULL)	
	Part Number Numéro Pièce 9500U3DSS8411824RD		Rev. 0	2 3

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par



		Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement Max 3.0mm Projection 	
Customer Client				Date	
Drawn By Dessiné Par BoxCad: BoxCad				Date 27-Mar-20	
Material Matière					

3


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\9500U3DSS8411824_mcc\9500U3DSS8411824_mccIP.idw

Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par



Isometric View



Tél: (450) 979-4373

Fax: (450) 979-4626

www.exmweb.com

Flatness

Aplatissement

Max 3.0mm

Projection



Customer

Client

Date

Drawn By

Dessiné Par

BoxCad: BoxCad

Date

27-Mar-20

Material

Matière

12 Ga Galvanized (2.5mm)

Color

Couleur

Unpainted

Finish

Fin

Smooth

Description

9500U3DSS 84" x 117.5" Inner Panel

Detail Rev.

Part Number

Numéro Pièce

9500U3DSS8411824IP

Rev.

0

3





3

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault Workspace\Inventor Dwg\BoxCad\Result\9500U3DSS8411824_mcc\9500U3DSS8411824_mcc12.idw


Tolérance ±1/32" sauf spécification contraire



Isometric View



Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com




Customer Client		Date	
Drawn By Dessiné Par		Date	
Material Matière		12 Ga Galvanized (2.5mm)	
Color Couleur		Unpainted	Finish Fini Smooth
Description			Detail Rev.
9500U3DSS 84" x 117.5" Inner Panel			
Part Number Numéro Pièce		Rev.	
9500U3DSS8411824I2		0	1 3

SEE BILL OF MATERIAL ON LAST PAGE

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

No.	Revisions	Date	By/Par
 Isometric View			
 Tél: (450) 979-4373 Fax: (450) 979-4626 www.exmweb.com		Flatness Aplatissement Max 3.0mm Projection 	
Customer Client		Date	
Drawn By Dessiné Par		Date 27-Mar-20	
Material Matière		BoxCad: BoxCad	
12 Ga Galvanized (2.5mm)			
Color Couleur		Unpainted	
Finish Fini		Smooth	
Description		Detail Rev.	
9500U3DSS 84" x 117.5" Inner Panel			
Part Number Numéro Pièce		Rev.	3
9500U3DSS8411824I2		0	3